

Publicaties Expertisecel Gehoor en Evenwicht

- Bernaerts, A., Vanspauwen, R., Blaivie, C., van Dinther, J., Zarowski, A., Wuyts, F. L., . . . De Foer, B. (2019). The value of four stage vestibular hydrops grading and asymmetric perilymphatic enhancement in the diagnosis of Menière's disease on MRI. *Neuroradiology*, *61*(4), 421-429. doi:10.1007/s00234-019-02155-7
- Delrue, S., De Foer, B., van Dinther, J., Zarowski, A., Bernaerts, A., Vanspauwen, R., . . . Somers, T. (2019). The value of diffusion-weighted MRI in the long-term follow-up after subtotal petrosectomy for extensive cholesteatoma and chronic suppurative otitis media. *Otology and Neurotology*, *40*(1), e25-e31. doi:10.1097/MAO.0000000000002049
- Greve, G., Dinther, J. V., Maryn, Y., Vanspauwen, R., Zarowski, A., & Offeciers, E. (2019). Validity and test-retest reliability of the Dutch version of the chronic otitis media benefit inventory. *Journal of International Advanced Otology*, *15*(1), 34-37. doi:10.5152/iao.2019.6339
- Loos, E., Wuyts, L., Puls, T., Foer, B., Casselman, J. W., Bernaerts, A., . . . Somers, T. (2019). Cochlear Erosion due to a Facial Nerve Schwannoma. *Journal of International Advanced Otology*, *15*(2), 330-332. doi:10.5152/iao.2019.5304
- Molisz, A., Zarowski, A., Theunen, T., Vermeiren, A., De Coninck, L., Przewoźny, T., . . . Offeciers, E. F. (2019). Influence of stimulus presentation rate on intraoperative ECAP thresholds in cochlear implant users. *International Journal of Audiology*, *58*(5), 296-300. doi:10.1080/14992027.2018.1558293
- Vermeire, K., Knoop, A., De Sloovere, M., Bosch, P., & van den Noort, M. (2019). Relationship between working memory and speech-in-noise recognition in young and older adult listeners with age-appropriate hearing. *Journal of Speech, Language and Hearing Resources*, *62*(9), 1-9. doi:10.1044/2019_JSLHR-H-18-0307
- Bance, M., Zarowski, A., Adamson, R. A., & Casselman, J. W. (2018). New imaging modalities in otology. *Advances in Otorhinolaryngology*, *81*, 1-13. doi:10.1159/000485576
- Busch, T., Sangen, A., Vanpoucke, F., & van Wieringen, A. (2018). Correlation and agreement between Language ENvironment Analysis (LENA™) and manual transcription for Dutch natural language recordings. *Behaviour Research Methods*, *50*(5), 1921-1932. doi:10.3758/s13428-017-0960-0
- Keustermans, W., Huysmans, T., Danckaers, F., Zarowski, A., Schmelzer, B., Sijbers, J., & Dirckx, J. J. J. (2018). High quality statistical shape modelling of the human nasal cavity and applications. *Royal Society Open Science*, *5*(12), 181558. doi:10.1098/rsos.181558
- Philips, B., Smits, C., Govaerts, P. J., Doorn, I., & Vanpoucke, F. (2018). Empowering senior cochlear implant users at home via a tablet computer application. *American Journal of Audiology*, *27*(3S), 417-430. doi:10.1044/2018_AJA-IMIA3-18-0014
- van Dinther, J. J. S., Coopman, R., Vercruysse, J. P., Somers, T., Zarowski, A., Vanspauwen, R., . . . Offeciers, F. E. (2018). The bony obliteration tympanoplasty in pediatric cholesteatoma: Long-term hearing results. *Otology and Neurotology*, *39*(6), 715-723. doi:10.1097/MAO.0000000000001846

- Vanspauwen, R. (2018). Dizziness and (Fear of) Falling in The Elderly: A Few Facts. *Journal of International Advanced Otolaryngology*, 14(1), 1-2. doi:10.5152/iao.2018.0201815
- Busch, T., Vanpoucke, F., & van Wieringen, A. (2017). Auditory environment across the life span of cochlear implant users: Insights from data logging. *Journal of Speech, Language and Hearing Resources*, 60(5), 1362-1377. doi:10.1044/2016_JSLHR-H-16-0162
- De Ceulaer, G., Pascoal, D., Vanpoucke, F., & Govaerts, P. J. (2017). The use of cochlear's SCAN and wireless microphones to improve speech understanding in noise with the Nucleus6® CP900 processor. *International Journal of Audiology*, 56(11), 837-843. doi:10.1080/14992027.2017.1346305
- Droessaert, V., Vanspauwen, R., Offeciers, E., Zarowski, A., Dinther, J. V., & Somers, T. (2017). Surgical treatment of acquired atresia of the external auditory ear canal. *International Archives of Otorhinolaryngology*, 21(4), 343-346. doi:10.1055/s-0037-1598604
- Goehring, T., Bolner, F., Monaghan, J. J., van Dijk, B., Zarowski, A., & Bleeck, S. (2017). Speech enhancement based on neural networks improves speech intelligibility in noise for cochlear implant users. *Hearing Research*, 344, 183-194. doi:10.1016/j.heares.2016.11.012
- Gérard, J. M., Demanez, L., Salmon, C., Vanpoucke, F., Walraevens, J., Plasmans, A., . . . Lefèbvre, P. (2017). Feasibility of an implanted microphone for cochlear implant listening. *European Archives of Otorhinolaryngology*, 274(3), 1383-1390. doi:10.1007/s00405-016-4410-x
- Hsu, B. C., Vanpoucke, F., & van Wieringen, A. (2017). Listening Effort Through Depth of Processing in School-Age Children. *Ear and Hearing*, 38(5), 568-576. doi:10.1097/AUD.0000000000000436
- Leysens, L., Heinze, B., Vinck, B., Van Ombergen, A., Vanspauwen, R., Wuyts, F. L., & Maes, L. K. (2017). 'Standard' versus 'nose reference' electrode placement for measuring oVEMPs with air-conducted sound: Test-retest reliability and preliminary patient results. *Clinical Neurophysiology*, 128(2), 312-322. doi:10.1016/j.clinph.2016.11.023
- Maryn, Y., Ysenbaert, F., Zarowski, A., & Vanspauwen, R. (2017). Mobile Communication Devices, Ambient Noise, and Acoustic Voice Measures. *Journal of Voice*, 31(2), 248.e211-248.e223. doi:10.1016/j.jvoice.2016.07.023
- van Dinther, J., Zarowski, A., Somers, T., & Offeciers, E. (2017). The MO-meatocanalplasty: a modification of the M-meatoplasty to address the superior quadrants and the bony canal. *European Archives of Otorhinolaryngology*, 274(9), 3291-3293. doi:10.1007/s00405-017-4626-4
- Vanspauwen, R., Wuyts, F. L., Krijger, S., & Maes, L. K. (2017). Comparison of different electrode configurations for the oVEMP with bone-conducted vibration. *Ear and Hearing*, 38(2), 205-211. doi:10.1097/AUD.0000000000000372
- Alsalmán, O., Ost, J., Vanspauwen, R., Blavie, C., De Ridder, D., & Vanneste, S. (2016). The neural correlates of chronic symptoms of vertigo proneness in humans. *PLoS One*, 11(4), e0152309. doi:10.1371/journal.pone.0152309
- de Graaff, F., Huysmans, E., Qazi, O. U., Vanpoucke, F. J., Merkus, P., Goverts, S. T., & Smits, C. (2016). The development of remote speech recognition tests for adult cochlear implant users: The

- effect of presentation mode of the noise and a reliable method to deliver sound in home environments. *Audiology and Neurotology*, 21(S1), 48-54. doi:10.1159/000448355
- Delrue, S., Verhaert, N., Dinther, J. V., Zarowski, A., Somers, T., Desloovere, C., & Offeciers, E. (2016). Surgical management and hearing outcome of traumatic ossicular injuries. *Journal of International Advanced Otolaryngology*, 12(3), 231-236. doi:10.5152/iao.2016.2868
- Laplante-Lévesque, A., Abrams, H., Bülow, M., Lunner, T., Nelson, J., Riis, S. K., & Vanpoucke, F. (2016). Hearing Device Manufacturers Call for Interoperability and Standardization of Internet and Audiology. *American Journal of Audiology*, 25(3S), 260-263. doi:10.1044/2016_AJA-16-0014
- Plasmans, A., Rushbrooke, E., Moran, M., Spence, C., Theuwis, L., Zarowski, A., . . . Mauger, S. J. (2016). A multicentre clinical evaluation of paediatric cochlear implant users upgrading to the Nucleus® 6 system. *International Journal of Pediatric Otorhinolaryngology*, 83, 193-199. doi:10.1016/j.ijporl.2016.02.004
- Sennaroglu, L., Colletti, V., Lenarz, T., Manrique, M., Laszig, R., Rask-Andersen, H., . . . Polak, M. (2016). Consensus statement: Long-term results of ABI in children with complex inner ear malformations and decision making between CI and ABI. *Cochlear Implants International*, 17(4), 163-171. doi:10.1080/14670100.2016.1208396
- Vanspauwen, R., Knoop, A., Camp, S., van Dinther, J., Erwin Offeciers, F., Somers, T., . . . Blaivie, C. (2016). Outcome evaluation of the dizziness handicap inventory in an outpatient vestibular clinic. *Journal of Vestibular Research*, 26(5-6), 479-486. doi:10.3233/VES-160600
- Vercruyse, J. P., van Dinther, J. J., De Foer, B., Casselman, J., Somers, T., Zarowski, A., . . . Offeciers, E. (2016). Long-term results of troublesome CWD cavity reconstruction by mastoid and epitympanic bony obliteration (CWR-BOT) in adults. *Otology and Neurotology*, 37(6), 698-703. doi:10.1097/MAO.0000000000001006
- Vermeire, K., Knoop, A., Boel, C., Auwers, S., Schenus, L., Talaveron-Rodriguez, M., . . . De Sloovere, M. (2016). Speech recognition in noise by younger and older adults: Effects of age, hearing loss, and temporal resolution. *Annals of Otolaryngology, Rhinology and Laryngology*, 125(4), 297-302. doi:10.1177/0003489415611424
- Vickers, D., Degun, A., Canas, A., Stainsby, T., & Vanpoucke, F. (2016). Deactivating cochlear implant electrodes based on pitch information for users of the ACE strategy. *Advances in Experimental Medicine and Biology*, 894, 115-123. doi:10.1007/978-3-319-25474-6_13
- Buijs, E. F., Theunisse, H. J., Mulder, J. J., van den Hoogen, F. J., Offeciers, E. F., Zarowski, A. J., & Mylanus, E. A. (2015). The use of gentamicin-impregnated collagen sponges (Garacol®/Duracoll®) in cochlear implant infections: our experience in four cases. *Clinical Otolaryngology*, 40(5), 492-495. doi:10.1111/coa.12417
- Delrue, S., De Foer, B., van Dinther, J., Zarowski, A., Somers, T., Casselman, J., & Offeciers, E. (2015). Handling an isolated malleus handle fracture: Current diagnostic work-up and treatment options. *Annals of Otolaryngology, Rhinology & Laryngology*, 124(3), 244-249. doi:10.1177/0003489414550240

- Maryn, Y., & Zarowski, A. (2015). Calibration of Clinical Audio Recording and Analysis Systems for Sound Intensity Measurement. *American Journal of Speech Language Pathology*, 24(4), 608-618. doi:10.1044/2015_AJSLP-14-0082
- Moliz, A., Zarowski, A., Vermeiren, A., Theunen, T., De Coninck, L., Siebert, J., & Offeciers, E. F. (2015). Postimplantation changes of electrophysiological parameters in patients with cochlear implants. *Audiology and Neurotology*, 20(4), 222-228. doi:10.1159/000377615
- van Dinther, J., Droessaert, V., Camp, S., Vanspauwen, R., Maryn, Y., Zarowski, A., . . . Offeciers, E. (2015). Validity and test-retest reliability of the Dutch version of the cChronic Otitis Media Questionnaire 12 (COMQ-12). *Journal of International Advanced Otology*, 11(3), 248-252. doi:10.5152/iao.2015.1701
- van Dinther, J. J., Vercruyse, J. P., Camp, S., De Foer, B., Casselman, J., Somers, T., . . . Offeciers, E. (2015). The bony obliteration tympanoplasty in pediatric cholesteatoma: Long-term safety and hygienic results. *Otology and Neurotology*, 36(9), 1504-1509. doi:10.1097/MAO.0000000000000851
- Adams, D., Ajimsha, K. M., Barberá, M. T., Gazibegovic, D., Gisbert, J., Gómez, J., ... Zarowski, A. (2014). Multicentre evaluation of music perception in adult users of Advanced Bionics cochlear implants. *Cochlear Implants International*, 15(1), 20-26. doi:10.1179/1754762813Y.0000000032
- Bogaerts, M., Waterval, J., van Dinther, J., Somers, T., Zarowski, A., & Offeciers, F. E. (2014). Treatment of traumatic stapediovestibular luxation: case report with the introduction of a new technique and review of literature. *Otology and Neurotology*, 35(4), 582-588. doi:10.1097/MAO.0000000000000322
- Nehmé, A., El Zir, E., Moukarzel, N., Haidar, H., Vanpoucke, F., & Arnold, L. (2014). Measures of the electrically evoked compound action potential threshold and slope in HiRes 90K(TM) users. *Cochlear Implants International*, 15(1), 53-60. doi:10.1179/1754762813Y.0000000039
- Weerts, A. P., Vanspauwen, R., Fransen, E., Jorens, P. G., Van de Heyning, P. H., & Wuyts, F. L. (2014). Space motion sickness countermeasures: a pharmacological double-blind, placebo-controlled study. *Aviation, Space and Environmental Medicine*, 85(6), 638-644.
- Frijns, J. H., Snel-Bongers, J., Vellinga, D., Schrage, E., Vanpoucke, F. J., & Briaire, J. J. (2013). Restoring speech perception with cochlear implants by spanning defective electrode contacts. *Acta Otolaryngologica*, 133(4), 394-399. doi:10.3109/00016489.2012.754107
- Weerts, A. P., Vanspauwen, R., Fransen, E., Jorens, P. G., Van de Heyning, P. H., & Wuyts, F. L. (2013). Baclofen affects the semicircular canals but not the otoliths in humans. *Acta Otolaryngologica*, 133(8), 846-852. doi:10.3109/00016489.2013.782615
- Zhao, Y. C., Somers, T., van Dinther, J., Vanspauwen, R., Husseman, J., & Briggs, R. (2012). Transmastoid repair of superior semicircular canal dehiscence. *Journal of Neurological Surgery - Part B, Skull Base*, 73(4), 225-229. doi:10.1055/s-0032-1312713
- Snel-Bongers, J., Briaire, J. J., Vanpoucke, F. J., & Frijns, J. H. (2012). Spread of excitation and channel interaction in single- and dual-electrode cochlear implant stimulation. *Ear and Hearing*, 33(3), 367-376. doi:10.1097/AUD.0b013e318234efd5

- Vanpoucke, F. J., Boermans, P. P., & Frijns, J. H. (2012). Assessing the placement of a cochlear electrode array by multidimensional scaling. *IEEE Transactions on Biomedical Engineering*, *59*(2), 307-310. doi:10.1109/TBME.2011.2173198
- Weerts, A. P., De Meyer, G., Pauwels, G., Vanspauwen, R., Dornhoffer, J. L., Van de Heyning, P. H., & Wuyts, F. L. (2012). Pharmaceutical countermeasures have opposite effects on the utricles and semicircular canals in man. *Audiology and Neurotology*, *17*(4), 235-242. doi:10.1159/000337273
- Buechner, A., Beynon, A., Szyfter, W., Niemczyk, K., Hoppe, U., Hey, M., . . . Smoorenburg, G. (2011). Clinical evaluation of cochlear implant sound coding taking into account conjectural masking functions, MP3000™. *Cochlear Implants International*, *12*(4), 194-204. doi:10.1179/1754762811Y0000000009
- Jereczek-Fossa, B. A., Rondi, E., Zarowski, A., D'Onofrio, A., Alterio, D., Ciocca, M., . . . Orecchia, R. (2011). Prospective study on the dose distribution to the acoustic structures during postoperative 3D conformal radiotherapy for parotid tumors: dosimetric and audiometric aspects. *Strahlentherapie und Onkologie*, *187*(6), 350-356. doi:10.1007/s00066-011-2170-5
- Nooij, S. A., Vanspauwen, R., Bos, J. E., & Wuyts, F. L. (2011). A re-investigation of the role of utricular asymmetries in Space Motion Sickness. *Journal of Vestibular Research*, *21*(3), 141-151. doi:10.3233/VES-2011-0400
- Rompaey, V. V., Dinther, J., Zarowski, A., Offeciers, E., & Somers, T. (2011). Fundus obliteration and facial nerve outcome in vestibular schwannoma surgery. *Skull Base*, *21*(2), 99-102. doi:10.1055/s-0030-1270211
- Sennaroglu, L., Colletti, V., Manrique, M., Laszig, R., Offeciers, E., Saeed, S., . . . Konradsson, K. (2011). Auditory brainstem implantation in children and non-neurofibromatosis type 2 patients: a consensus statement. *Otology and Neurotology*, *32*(2), 187-191. doi:10.1097/MAO.0b013e318206fc1e
- Snel-Bongers, J., Briaire, J. J., Vanpoucke, F. J., & Frijns, J. H. (2011). Influence of widening electrode separation on current steering performance. *Ear and Hearing*, *32*(2), 221-229. doi:10.1097/AUD.0b013e3181f8c0fe
- van Dinther, J. J., Van Rompaey, V., Somers, T., Zarowski, A., & Offeciers, F. E. (2011). Prognostic significance of electrophysiological tests for facial nerve outcome in vestibular schwannoma surgery. *B-ENT*, *7*(2), 115-119.
- Van Rompaey, V., Claes, G., Verstraeten, N., van Dinther, J., Zarowski, A., Offeciers, E., & Somers, T. (2011). Skin reactions following BAHA surgery using the skin flap dermatome technique. *European Archives of Otorhinolaryngology*, *268*(3), 373-376. doi:10.1007/s00405-010-1366-0
- Vanspauwen, R., Weerts, A., Hendrickx, M., Buytaert, K. I., Blaivie, C., Jorens, P. G., . . . Wuyts, F. L. (2011). No effects of anti-motion sickness drugs on vestibular evoked myogenic potentials outcome parameters. *Otology and Neurotology*, *32*(3), 497-503. doi:10.1097/MAO.0b013e31820d94d0

- Zarowski, A. J., Verstraeten, N., Somers, T., Riff, D., & Offeciers, E. F. (2011). Headbands, testbands and softbands in preoperative testing and application of bone-anchored devices in adults and children. *Advances in Otorhinolaryngology*, *71*, 124-131. doi:10.1159/000323728
- Battmer, R. D., Dillier, N., Lai, W. K., Begall, K., Leypon, E. E., González, J. C., . . . Smoorenburg, G. F. (2010). Speech perception performance as a function of stimulus pulse rate and processing strategy preference for the cochlear nucleus CI24RE device: Relation to perceptual threshold and loudness comfort profiles. *International Journal of Audiology*, *49*(9), 657-666. doi:10.3109/14992021003801471
- Berenstein, C. K., Vanpoucke, F. J., Mulder, J. J., & Mens, L. H. (2010). Electrical field imaging as a means to predict the loudness of monopolar and tripolar stimuli in cochlear implant patients. *Hearing Research*, *270*(1-2), 28-38. doi:10.1016/j.heares.2010.10.001
- Buytaert, K. I., Nooij, S. A., Neyt, X., Migeotte, P. F., Vanspauwen, R., Van de Heyning, P. H., & Wuyts, F. L. (2010). A new model for utricular function testing using a sinusoidal translation profile during unilateral centrifugation. *Audiology and Neurotology*, *15*(6), 343-352. doi:10.1159/000289577
- Buytaert, K. I., Vanspauwen, R., Van de Heyning, P. H., & Wuyts, F. L. (2010). Reliability of utricular function testing sinusoidal translation profile during unilateral centrifugation. *Fiziol Cheloveka*, *36*(3), 31-38.
- Nogueira, W., Vanpoucke, F., Dykmans, P., De Raeve, L., Van Hamme, H., & Roelens, J. (2010). Speech recognition technology in CI rehabilitation. *Cochlear Implants International*, *11*(S1), 449-453. doi:10.1179/146701010X12671177204507
- Topsakal, V., Hilgert, N., van Dinther, J., Tranebjaerg, L., Rendtorff, N. D., Zarowski, A., . . . van de Heyning, P. (2010). Genotype-phenotype correlation for DFNA22: characterization of non-syndromic, autosomal dominant, progressive sensorineural hearing loss due to MYO6 mutations. *Audiology and Neurotology*, *15*(4), 211-220. doi:10.1159/000255339
- van Dinther, J. J., Vercruyssen, J. P., De Foer, B., Somers, T., Zarowski, A., Casselman, J., & Offeciers, E. (2010). Subarcuate supralabyrinthine approach for supralabyrinthine petrosal cholesteatoma. *Annals of Otolaryngology, Rhinology and Laryngology*, *119*(1), 42-46. doi:10.1177/000348941011900108
- Vanspauwen, R., Seman, E., & Dwyer, P. (2010). Survey of current management of prolapse in Australia and New Zealand. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, *50*(3), 262-267. doi:10.1111/j.1479-828X.2010.01145.x
- Wesarg, T., Battmer, R. D., Garrido, L. C., Dillier, N., Garcia-Ibáñez, L., Hey, M., . . . Smoorenburg, G. F. (2010). Effect of changing pulse rate on profile parameters of perceptual thresholds and loudness comfort levels and relation to ECAP thresholds in recipients of the Nucleus CI24RE device. *International Journal of Audiology*, *49*(10), 775-787. doi:10.3109/14992027.2010.492401
- Beijen, J., Casselman, J., Joosten, F., Stover, T., Aschendorff, A., Zarowski, A., . . . Mylanus, E. (2009). Magnetic resonance imaging in patients with meningitis induced hearing loss. *European Archives of Otorhinolaryngology*, *266*(8), 1229-1236. doi:10.1007/s00405-009-0921-z

Hinoult, P., Vanspauwen, R., Smajda, S., & Roovers, J. P. (2010). The Posterior Intravaginal Slingplasty treatment for apical prolapse: 3 years experience in a single centre setting. *Facts, Views & Vision in Obygn*, 2(1), 1-8.

Frijns, J. H., Kalkman, R. K., Vanpoucke, F. J., Bongers, J. S., & Briaire, J. J. (2009). Simultaneous and non-simultaneous dual electrode stimulation in cochlear implants: evidence for two neural response modalities. *Acta Otolaryngologica*, 129(4), 433-439. doi:10.1080/00016480802610218

Hinoult, P., Roovers, J. P., Ombelet, W., & Vanspauwen, R. (2009). Surgical management of urinary stress incontinence in women: a historical and clinical overview. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 145(2), 219-225. doi:10.1016/j.ejogrb.2009.04.020

Migeotte, P. F., Pattyn, N., Vanspauwen, R., Neyt, X., Acheroy, M., Van de Heyning, P., & Wuyts, F. L. (2009). Respiratory sinus arrhythmia on the ESA-short-arm human centrifuge. *IEEE Engineering in Medicine and Biology Magazine*, 28(6), 86-91. doi:10.1109/MEMB.2009.934618

Vanspauwen, R., Wuyts, F. L., & Van de Heyning, P. H. (2009). Vestibular evoked myogenic potentials: test-retest reliability and normative values obtained with a feedback method for the sternocleidomastoid muscle contraction. *Journal of Vestibular Research*, 19(3-4), 127-135. doi:10.3233/VES-2009-0358

Verbist, B. M., Ferrarini, L., Briaire, J. J., Zarowski, A., Admiraal-Behloul, F., Olofsen, H., . . . Frijns, J. H. (2009). Anatomic considerations of cochlear morphology and its implications for insertion trauma in cochlear implant surgery. *Otology and Neurotology*, 30(4), 471-477. doi:10.1097/MAO.0b013e3181a32c0d

Verstraeten, N., Zarowski, A. J., Somers, T., Riff, D., & Offeciers, E. F. (2009). Comparison of the audiologic results obtained with the bone-anchored hearing aid attached to the headband, the testband, and to the "snap" abutment. *Otology and Neurotology*, 30(1), 70-75. doi:10.1097/MAO.0b013e31818be97a